



IS TYPE BRACKET (ISO)

MATERIAL: FE510 - ST52.3
SUPPLIED AS A PAIR
ISO 8132





ORDER CODE	H (mm)	H1 (mm)	H2 (mm)	G (H7) (mm)	E (mm)	E1 (mm)	N (mm)	N1 (mm)	B4 (N9) (mm)	T (mm)	HB (H13) Ø(mm)	RATED VALUE (kn)	WEIGHT (kgs)
IS12	34	25	49	12	63	17	40	8	10	3.3	9	8	0.46
IS16	40	30	59	16	80	21	50	10	16	4.3	11	12.5	0.83
IS20	45	38	69	20	90	21	60	10	16	4.3	11	20	1.21
IS25	55	45	80	25	110	26	80	12	25	5.4	13.5	32	2.15
IS32	65	52	100	32	150	33	110	15	25	5.4	17.5	50	4.63
IS40	76	60	120	40	170	41	125	16	36	8.4	22	80	7.78
IS50	95	75	140	50	210	51	160	20	36	8.4	26	125	14.3
IS63	112	85	177	63	265	61	200	25	50	11.4	33	200	23.4
IS80	140	112	220	80	325	81	250	31	50	11.4	39	320	53.1

PLEASE NOTE: TRUNNIONS ARE AVAILABLE ON PAGE 91.

ISS TYPE BRACKET

MATERIAL: FE510 - ST52.3
SUPPLIED AS A PAIR
NON ISO STANDARD - BIGGER DISTANCE BETWEEN CENTRES



ORDER CODE	H (mm)	H1 (mm)	H2 (mm)	G (H7) (mm)	E (mm)	E1 (mm)	N (mm)	N1 (mm)	B4 (N9) (mm)	T (mm)	HB (H13) Ø(mm)	RATED VALUE (kn)	WEIGHT (kgs)
ISS 12	38	25	55	12	63	17	40	8	10	3.3	9	8	0.48
ISS 16	45	30	65	16	80	21	50	10	16	4.3	11	12.5	0.87
ISS 20	55	38	80	20	90	21	60	10	16	4.3	11	20	1.30
ISS 25	65	45	90	25	110	26	80	12	25	5.4	14	32	2.35
ISS 32	75	52	110	32	150	33	110	15	25	5.4	18	50	4.80
ISS 40	95	60	140	40	170	41	125	16	36	8.4	22	80	8.10
ISS 50	105	72	150	50	210	51	160	20	36	8.4	26	125	21.10
ISS 63	125	87	195	63	265	61	200	25	50	11.4	33	200	31.30
ISS 80	150	112	230	80	325	81	250	31	50	11.4	39	320	69.30
ISS 100	200	150	300	100	410	101	320	42	63	12.4	52	500	112

PLEASE NOTE: TRUNNIONS ARE AVAILABLE ON PAGE 91.